

GENERAL NOTES

1. THIS SCHEDULE IS TO BE SHOWN ON ALL UTILITY DRAWINGS FOR THE PURPOSE OF DEMONSTRATING ADEQUATE CLEARANCE BETWEEN CROSSING UTILITY LINES .

KEY

- SD STORM DRAIN
- SAS SANITARY SEWER
- WL WATER LINE
-  25 UTILITY CROSSING DESIGNATION
- TP TOP OF PIPE
- BP BOTTOM OF PIPE


UTILITY TYPE:
SEWER, WATER
LINE, STORM
DRAIN

DESIGN
CLEARANCE
BETWEEN
UTILITIES
AT CROSSING


UTILITY CROSSINGS							
DES	SAS		SD		WL		CLEARANCE
24	8" TP	37.60"			12" TP	40.33"	1.65'
	8" BP	36.85"			12" BP	39.25"	
25			24" TP	44.37"	12" TP	39.81"	1.48'
			24" BP	41.29"	12" BP	38.73"	
26	8" TP	38.32"	24" TP	44.96"			3.56'
	8" BP	37.57"	24" BP	41.88"			

DESIGNATOR OR
REFERENCE
LOCATOR SHOWN
ON PLAN

SIZE, TOP &
BOTTOM ELEV.
OF UTILITY



TYPICAL PLAN ANNOTATION



City of Rio Rancho
Department of Public Works

UTILITY CROSSING SCHEDULE

DATE MODIFIED: JUNE 26, 2015

DWG. NO. UC-01

SEP. 29, 2005